


ANASTOMOSENINSUFFIZIENZEN 1995-2005

1995-AKTUELL	ANASTOMOSEN	INSUFFIZIENZEN	%
OESOPHAGUS; MAGEN	262	16	6,11%
davon oesophago - jejunale Anastomosen	102	3	2,94%
DÜNNDARM	235	16	6,81%
PANKREAS	104	2	1,92%
KOLON	633	29	4,58%
REKTUM	125	10	8,00%
SUMME ANASTOMOSEN; INSUFFIZIENZEN	1359	73	5,37%

1995-2005	Z INSUFFIZIENZEN	%	A, B, C, D, E, U, X, Y	MITTELWERT ANASTOMOSEN	MITTELWERT INSUFFIZIENZEN	MITTELWERT INSUFFIZIENZEN	%
OESOPHAGUS; MAGEN	95	6	6,32%	162	12	10	6,17%
davon oesophago - jejunale Anastomosen	50	2	4,00%	52	4	1	1,92%
DÜNNDARM	50	4	8,00%	176	12	11	6,25%
PANKREAS	72	1	1,39%	27	2	1	3,70%
KOLON	174	6	3,45%	434	30	22	5,07%
REKTUM	52	5	9,62%	69	5	5	7,25%
SUMME ANASTOMOSEN; INSUFFIZIENZEN	443	22	4,97%	868	102	49	5,65%

VERGLEICH ANASTOMOSEN - ANASTOMOSENINSUFFIZIENZEN =
 AI OPERATEURE A (WI) UND B (OA)
 ZEITRAUM: 1995 - aktuell



ANASTOMOSENINSUFFIZIENZEN IN % UND ABSOLUTEN ZAHLEN
PRO OPERATEUR 1995-2005

